06/

Hudson Reed

OUR COLLECTION OF DESIGNER RADIATORS AND TOWEL RAILS INSPIRE WARMTH AND **ELEGANCE IN** ANY BATHROOM.



5 year guarantees unless otherwise stated



Fully Certified BS EN 442-1:2014

All BTU output ratings have been measured at Δ60°C

HEATING:

BATHROOM & BEYOND

WITH IMAGINATIVE LINES AND BOLD COLOURWAYS, OUR SMART HEATING SOLUTIONS CREATE A SOPHISTICATED FOCAL POINT IN ANY ROOM IN THE HOME.



WITH TOWEL RAIL

H1800 x W370mm

High Gloss White HCL002 £1,163.00 4310 Btu/hr

High Gloss Black HCL001 **£1,163.00** 4310 Btu/hr





Radiator Valves sold separately, see page 154







KINETIC

SINGLE PANEL

H1800 x W360mm

High Gloss White HLW96 **£389.00** 3268 Btu/hr

Anthracite HLA96 **£389.00** 3514 Btu/hr

High Gloss Silver HLS96 £403.00 2874 Btu/hr

High Gloss Black HLB96 **£389.00** 3360 Btu/hr







All prices include VAT at 20%. For line drawings visit hudsonreed.co.uk



SINGLE PANEL



H1500 x W354mm


Satin White HLW41 **£447.00** 2585 Btu/hr

H1800 x W354mm

Satin White HLW42 **£475.00** 2922 Btu/hr

Anthracite HLA72 **£490.00** 2922 Btu/hr







DOUBLE PANEL



H1500 x W354mm

Satin White HLW43 £505.00 3934 Btu/hr

H1800 x W354mm

Satin White HLW44 £562.00 4613 Btu/hr

Anthracite HLA74 £579.00 4907 Btu/hr



With mirror

H1800 x W381mm

Satin White HLW64 **£562.00** 4236 Btu/hr

Anthracite HLA84 £579.00 4236 Btu/hr





REVIVE

SINGLE OR DOUBLE PANEL

SINGLE PANEL

H1500 x W354mm

High Gloss White HL367 £286.00 2460 Btu/hr

H1800 x W354mm

High Gloss White HL323 £330.00 2736 Btu/hr

DOUBLE PANEL

H1500 x W354mm

High Gloss White HL368 **£373.00** 3926 Btu/hr

Anthracite

HLA76 **£389.00** 3926 Btu/hr

High Gloss Silver

HLS86 **£403.00** 3926 Btu/hr

High Gloss Black

HLB76 **£403.00** 3926 Btu/hr

H1800 x W354mm

High Gloss White HL326 **£418.00** 4609 Btu/hr

Anthracite HLA77 **£432.00** 4609 Btu/hr

High Gloss Silver HLS87 **£447.00** 4677 Btu/hr

High Gloss Black

HLB77 **£447.00** 4609 Btu/hr





SINGLE PANEL

H633 x W826mm

High Gloss White HL324 £373.00 2763 Btu/hr

H635 x W1180mm

High Gloss White HL325 **£548.00** 3947 Btu/hr

Suitable for use with heating elements see page 154

DOUBLE PANEL

H633 x W826mm

High Gloss White HL328 **£505.00** 4132 Btu/hr

H635 x W1175mm

High Gloss White HL329 **£709.00** 5901 Btu/hr





H354 x W1500mm

High Gloss White HL367H **£339.00** 2460 Btu/hr

H354 x W1800mm

High Gloss White HL323H **£383.00** 2736 Btu/hr

DOUBLE PANEL

H354 x W1500mm

High Gloss White HL368H **£426.00** 3926 Btu/hr

Anthracite HLA76H **£442.00** 3926 Btu/hr

High Gloss Silver HLS86H **£456.00** 3926 Btu/hr

High Gloss Black

HLB76H **£456.00** 3926 Btu/hr

H354 x W1800mm

High Gloss White HL326H **£471.00** 4609 Btu/hr

Anthracite HLA77H **£485.00** 4609 Btu/hr

High Gloss Silver

HLS87H **£500.00** 4677 Btu/hr

High Gloss Black HLB77H **£500.00** 4609 Btu/hr







REVIVE

COMPACT DOUBLE PANEL

H1800 x W236mm

High Gloss White HRE007 £286.00 3118 Btu/hr

Anthracite HRE009 £309.00 3118 Btu/hr



REVIVE

WAVE

H1785 x W413mm

Anthracite

HLA95 £425.00 2741 Btu/hr

High Gloss Black

HLB95 £425.00 2542 Btu/hr



REVIVE

WITH MIRROR



SINGLE PANEL

H1800 x W499mm Anthracite

DOUBLE PANEL

H1800 x W499mm


Anthracite
HLA79 £797.00 5075 Btu/hr

HLA78 **£548.00** 3251 Btu/hr





XCITE DESIGNER



H1775 x W450mm

High Gloss Silver
HLS94 £373.00 2559 Btu/hr

Anthracite
HLA94 £358.00 2559 Btu/hr

High Gloss Black
HLB94 £358.00 2559 Btu/hr

REFRESH



H300 x W1064mm High Gloss White HLW22 £432.00 3109 Btu/hr



DOUBLE PANEL



H1500 x W383mm High Gloss White HSA002 £389.00 3934 Btu/hr Anthracite HSA006 £403.00 3934 Btu/hr

<u>H1800 x W383mm</u> **High Gloss White** HSA001 £432.00 4760 Btu/hr

Anthracite HSA005 £447.00 4704 Btu/hr







High Gloss White HSA004 £520.00 3964 Btu/hr

Anthracite HSA008 £532.00 3964 Btu/hr H635 x W1223mm High Gloss White HSA003 £724.00 5659 Btu/hr


Anthracite HSA007 £738.00 5659 Btu/hr



High Gloss White HSA002H £442.00 3934 Btu/hr

Anthracite HSA006H £456.00 3934 Btu/hr H383 x W1800mm High Gloss White HSA001H £485.00 4760 Btu/hr

Anthracite HSA005H £500.00 4704 Btu/hr



Radiator Valves sold separately, see page 154

HEATED

TOWEL RAILS

PIAZZA

HEATED TOWEL RAILS

9 BAR

H950 x W500mm

Chrome HL382 **£418.00** 1159 Btu/hr

11 BAR

H1200 x W500mm

Chrome HL396 **£520.00** 1340 Btu/hr

FLAT PANEL

HEATED TOWEL RAILS

H1213 x W500mm

Chrome HL335 **£520.00** 1552 Btu/hr

Anthracite HLA35 £447.00 2551 Btu/hr

HLA35 **£447.00** 2551 Btu/n

High Gloss White HLW35 £447.00 2551 Btu/hr

8 Suitable for use with heating elements see page 154









FINESSE

HEATED TOWEL RAILS

H610 x W500mm

Chrome HL381 £272.00 938 Btu/hr

H900 x W510mm

Chrome

HL397 **£373.00** 1141 Btu/hr



ELGIN

HEATED TOWEL RAILS

H1080 x W550mm

Chrome HL336 £579.00 1453 Btu/hr

Anthracite HLA36 £403.00 2161 Btu/hr

High Gloss White HLW36 £389.00 2161 Btu/hr

P Suitable for use with heating elements see page 154



ETON

HEATED TOWEL RAILS



H1200 x W450mm Chrome HL375 **£330.00** 874 Btu/hr

8 Suitable for use with heating elements see page 154



H1200 x W600mm

Chrome HL376 **£389.00** 1094 Btu/hr

P Suitable for use with heating elements see page 154





HEATED TOWEL RAILS

To ensure ease of fitting, these electric-only designer radiators are pre-filled with electrical inhibitor solution, which helps protect the internal walls of the radiator and also have the heating element pre-installed.



H690 x W500mm

Chrome

Supplied with 200 watt heating element fitted HL150 £360.00 683 Btu/hr

Anthracite Supplied with 300 watt heating element fitted HL152 **£276.00** 1024 Btu/hr



H1110 x W500mm

Chrome

Supplied with 300 watt heating element fitted HL151 £505.00 1024 Btu/hr

Anthracite

Supplied with 500 watt heating element fitted HL153 **£342.00** 1706 Btu/hr



RADIATOR VALVES

SQUARE



Pure Square Radiator Valves Pack



HT324 £60.00





Minimalist Radiator Valves Angled (pairs) HT328 **£30.00**



Pure Square Radiator

Valves Pack

Straight (pairs)

HT347 £60.00

Minimalist Radiator Valves Straight (pairs) HT327 **£30 00**



Modern Radiator Valves Straight (pairs) RV001 £30.00



CORNER

Corner Minimalist Radiator Valves Pack HT321 £56.00



Corner Minimalist Dual Fuel Radiator Valves Pack HT309 **£90.00**



Minimalist Radiator Valves Pack Angled (pairs). Supplied with 15mm decorative pipes and concealing plates HT310 £60.00



Minimalist Radiator Valves Pack Straight (pairs). Supplied with HT320 £60.00



Chrome Radiator Valves RV003 £18.00



Chrome Radiator Valves RV004 £18.00

THERMOSTATIC

RV002 £30.00

Modern Radiator Valves



Thermostatic Radiator Valves Pack HT325 £53.00



Thermostatic Radiator Valves Pack HT326 £53.00





Luxury Thermostatic Radiator Valves Pack HT315 £76.00



Luxury Thermostatic Radiator Valves Pack HT316 £76.00



Luxury Thermostatic Radiator Valves Pack HT317 £90.00

HEATING ELEMENTS



Thermostatic Heating Elements With 2 Hour Booster Function HL501 Chrome (300 watts) £185.00 HL502 Chrome (600 watts) £185.00

Heating Elements

HL311 Chrome (150 Watts) £104.00 HL312 Chrome (300 watts) £104.00 HL314 Chrome (600 watts) £126.00



Thermostatic Heating Elements HL301 Chrome (300 watts) £169.00 HL302 Chrome (600 watts) £192.00

CHROME PIPES



Decorative Chrome Pipes EA367 **£22.00**

RADIATOR ACCESSORIES



Magnetic Robe Hook Holds up to 3kg weight ACC001 Chrome **£67.00**



HL316 Chrome £29.00



Towel Rail for Radiator HL318 Chrome **£82.00**



Magnetic Towel Rail ACC005 £97.00



Radiator Hook ACC002 £23.00



All our radiators have been designed to provide a comfortable level of warmth needed for everyday indoor use, as well as being manufactured to conform to BS EN 442-1:2014, and all current

Our heating products have all been independently tested and we are delighted to present our collection of fully certified CE products that conform to all applicable standardized regulations.

DESIGNER RADIATOR AND HEATED TOWEL RAIL FAQS

How much heat will I need?

All rooms are individual and therefore the heat output required from your selected radiator will vary. It is important that you choose the correct radiator to ensure that enough heat is generated to keep you comfortable. A sensible tip is to always choose a model with a higher heat output than you require, as this can always be controlled by turning them down

What is the measurement for heat output?

All our radiators carry the heat output measured in either:

- BTUs (British Thermal Unit) or
- Watts

BTUs are shown with water temperature of 80°C at radiator inlet.

What heat output will I need for my room?

It is highly recommended that your installer calculates the BTU requirement for each applicable room, so you can get the maximum heat benefit from your chosen radiator. We strongly suggest this is done before purchasing your radiator.

What radiator designs offer the best heat output?

Basically, the bigger surface area that a radiator has, the more heat output will be generated. Another general guide is that painted finishes offer a slightly better heat output than chrome-finished items. To optimize the space you have available, we offer radiator designs that can be fitted horizontally or vertically. To get additional heat output from the same area, you can also choose options that include multiple rows of tubes, panels and columns.

Radiator colour options

From stock, we offer the most current fashionable colour options across a wide range of products.

Please note that owing to the printing process, the actual colours on the radiators may vary slightly from those shown in our brochure.

Pine centres

All our dimensional details are published in our current brochure and on our website. However, owing to manufacturing tolerances, we strongly suggest that your final pipework position is not completed until you actually receive delivery of your radiator.

Electric-only radiators

Where your installation location does not have immediate access to an existing water supply, we can offer purposemade electric-only products for a quick and easy solution to your heating needs. These electric-only products are supplied pre-filled with an electrical inhibitor solution, and fitted with a compatible heating element.

Dual-fuel radiators

Some of our radiators can also work as dual-fuel applications, which means that when your main heating system might be turned off in the summer months, you can still operate your radiators electrically if required. Please consult your plumber before purchasing heating elements.

Radiator valves options

Depending on your choice of radiator, we have several styles to choose from, details of which can be found on the left hand page

Warning / Precautions

Qualified persons should make all electrical and plumbing connections. When fitting radiators with heating elements, the radiator must always be mounted with the element at the bottom with the radiator in the upright position. Failure to do so may result in a fire hazard.